



PRODUCT CATLOGUE

AN ISO 9001:2015 CERTIFIED COMPANY

MANUFACTURER & EXPORTER

***PREM* ENGINEERING PVT. LTD.**

Factory : 334 GIDC Aji Industrial Estate Phase - II Rajkot -360003
Phone : +91-281-2387164 / 2387295 Fax : +91-281-2227573 Mobile  : +91-94268 05805
Email : info@anilengines.com Website : www.anilengines.com

Show Room : Dhebar Road Near Corporation Bank Rajkot - 360002
Phone : +91-281-2231829 Mobile  : +91 99740 97574 Email : marketing@anilengines.com

CORN GRINDING MILL



1-A / 2-A CORN GRINDING MILL

Tow Long brass, special design of steel hopper, red thrust handle, zink plating bolt & nuts, extra finishing of colour is our speciality.

crust plate is the heart of corn mill



11-A CORN GRINDING MILL

HORSE POWER & OUT PUT FOR GRINDING MILL

SIZE OF MILL	REQUIRED H.P.	R.P.M.	SIZE OF PULLEY	APPROXIMATE OUT PUT IN kg. PER HOUR.		
				FINE	MED.	COARSE.
1A MILL(10")	5 TO 6	600	250 x 100 mm	200	300	350
2A MILL(12")	6 TO 8	550	300 x 100 mm	300	400	500
11 A MILL	1.5 TO 2	400	300 x 10 B	30	40	50



RICE HULLER WITH POLYSHER NO.1/7



RICE HULLER WITHOUT POLYSHER WITH HIGH STAND NO.2/8



16"/18"(400/450 mm) RAJKOT TYPE FLOUR MILL



600/500mm HORIZONTAL DANISH TYPE MILL



300/600mm VERTICAL DANISH TYPE MILL

REQUIRED H.P.	OUT PUT 1 KG/ HOUR	PULLEY SIZE
300 mm 2 H.P.	40 TO 50	250 x 100 x 40mm
400 mm 5 H.P.	100 TO 200	300 x 100 x 40mm
500 mm 12 TO 15 H.P.	400 TO 550	350 x 100 x 45mm
600 mm 15 TO 20 H.P.	700 TO 800	400 x 100 x 50mm



300 TO 600 MM EMERY STONES



(MILL SPARES)



ALL TYPES OF PULLY